

L Number	Hits	Search Text	DB	Time stamp
-	763	notif\$5 near2 event near5 (subscriber or client or user)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 16:22
-	1	(notif\$5 near2 event near5 (subscriber or client or user)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4) near5 notif\$6 near5 (tcp or IP or internet or protocol or standard or smtp or ftp)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 16:24
-	234	(notif\$5 near2 event near5 (subscriber or client or user)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4) near5 (tcp or IP or internet or protocol or standard or smtp or ftp)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 16:15
-	60	((notif\$5 near2 event near5 (subscriber or client or user)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4) near5 (tcp or IP or internet or protocol or standard or smtp or ftp)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4) near5 (tcp or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$5 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 16:28
-	48	((notif\$5 near2 event near5 (subscriber or client or user)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4) near5 (tcp or IP or internet or protocol or standard or smtp or ftp)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4) near5 (tcp or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$5 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail)) and (notif\$5 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail) near2 server	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 16:47
-	5	((((notif\$5 near2 event near5 (subscriber or client or user)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4) near5 (tcp or IP or internet or protocol or standard or smtp or ftp)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4) near5 (tcp or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$5 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail)) and (notif\$5 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail) near2 server) and @ad<19990620	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 16:52
-	4293	notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 16:48

-	366	(notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$5 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 16:46
-	376	(notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$5 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 16:49
-	200	((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$5 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$5 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 16:50
-	6625	notif\$7 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 16:48
-	394	(notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 19:07
-	217	((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail) near2 server	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 19:09

	102	(--(notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail) near2 server) and notif\$8 near5 request\$4	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 18:32
-	18	((((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail) near2 server) and notif\$8 near5 request\$4) and @ad<19990620 ("9475147").PN.	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 18:35
-	1		USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 18:07
-	212	((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail) near2 server) and notif\$8 near5 (request\$4 or message or mail or server or device or unit or adapter or interfac\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 18:34
-	212	((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail) near2 server) and notif\$8 near5 (request\$4 or message or mail or server or device or unit or adapter or interfac\$5 or driver or card or protocol or application)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 19:10

-	50	((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail) near2 server) and notif\$8 near5 (request\$4 or message or mail or server or device or unit or adapter or interfac\$5 or driver or card or protocol or application)) and @ad<19990620	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 19:18
-	412	(notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 14:58
-	230	((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 19:09
-	224	((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server) and notif\$8 near5 (request\$4 or message or mail or server or device or computer or unit or adapter or interfac\$5 or driver or card or protocol or application or http or ftp or smtp)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 19:16

	224	((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server) and notif\$8 near5 (request\$4 or select\$5 or choos\$5 or mechanism or format or pager or message or mail or server or device or computer or unit or adapter or interfac\$5 or driver or card or protocol or application or http or ftp or smtp)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 15:47
	51	((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server) and notif\$8 near5 (request\$4 or select\$5 or choos\$5 or mechanism or format or pager or message or mail or server or device or computer or unit or adapter or interfac\$5 or driver or card or protocol or application or http or ftp or smtp)) and @ad<19990620	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 19:38
	222	((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server) and notif\$8 near5 (request\$4 or select\$5 or choos\$5 or mechanism or format or pager or message or mail or server or device or computer or unit or adapter or interfac\$5 or driver or card or protocol or application or http or ftp or smtp)) and (user or client or customer or subscrib\$5 or person or recipient or destin\$5 or device) near4 (select\$5 or choice or prefer\$5 or profil\$3 or request\$5 or mechanism or type or device or pager or e?mail or mail or voice)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 19:38

	222	((((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server) and notif\$8 near5 (request\$4 or select\$5 or choos\$5 or mechanism or format or pager or message or mail or server or device or computer or unit or adapter or interfac\$5 or driver or card or protocol or application or http or ftp or smtp)) and (user or client or customer or subscrib\$5 or person or recipient or destin\$5 or device or individual) near4 (select\$5 or choice or prefer\$5 or profil\$3 or request\$5 or mechanism or type or device or pager or e?mail or mail or voice)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 19:38
	51	((((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server) and notif\$8 near5 (request\$4 or select\$5 or choos\$5 or mechanism or format or pager or message or mail or server or device or computer or unit or adapter or interfac\$5 or driver or card or protocol or application or http or ftp or smtp)) and (user or client or customer or subscrib\$5 or person or recipient or destin\$5 or device or individual) near4 (select\$5 or choice or prefer\$5 or profil\$3 or request\$5 or mechanism or type or device or pager or e?mail or mail or voice)) and @ad<19990620	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 15:17
	414	(notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http or hypertext\$4) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 15:12

-	342	((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http or hypertext\$4) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (messag\$5 or event or mail or email or electronic\$3) with (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented or send\$3 or transmi\$5 or using) near5 (tcp/IP or IP or protocol or standard or smtp or ftp or http or hypertext\$4 or open)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 15:16
-	326	((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http or hypertext\$4) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (messag\$5 or event or mail or email or electronic\$3) near5 (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented or send\$3 or transmi\$5 or using) near5 (tcp/IP or IP or protocol or standard or smtp or ftp or http or hypertext\$4 or open)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 15:44
-	75	((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http or hypertext\$4) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (messag\$5 or event or mail or email or electronic\$3) near5 (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented or send\$3 or transmi\$5 or using) near5 (tcp/IP or IP or protocol or standard or smtp or ftp or http or hypertext\$4 or open)) and (receipt or occur\$5 or messag\$5 or event or mail or email or electronic\$3) near5 (detect\$5 or new) with notif\$9	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 15:41

	32	((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http or hypertext\$4) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (messag\$5 or event or mail or email or electronic\$3) near5 (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented or send\$3 or transmi\$5 or using) near5 (tcp/IP or IP or protocol or standard or smtp or ftp or http or hypertext\$4 or open)) and (receipt or occur\$5 or messag\$5 or event or mail or email or electronic\$3) near5 (detect\$5 or new) with notif\$9) and @ad<19990620	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 15:50
	5		USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 15:43
-	2121	709/206.ccls.	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 15:42
-	998	709/206.ccls. and (receipt or receiv\$3 or occur\$5 or messag\$5 or event or mail or email or electronic\$3 or arriv\$4 or new or detect\$3) near5 notif\$9	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 15:44
-	648	(709/206.ccls. and (receipt or receiv\$3 or occur\$5 or messag\$5 or event or mail or email or electronic\$3 or arriv\$4 or new or detect\$3) near5 notif\$9) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented or send\$3 or transmi\$5 or using) near5 (tcp/IP or IP or protocol or standard or smtp or ftp or http or hypertext\$4 or open)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 15:45
-	613	((709/206.ccls. and (receipt or receiv\$3 or occur\$5 or messag\$5 or event or mail or email or electronic\$3 or arriv\$4 or new or detect\$3) near5 notif\$9) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented or send\$3 or transmi\$5 or using) near5 (tcp/IP or IP or protocol or standard or smtp or ftp or http or hypertext\$4 or open)) and notif\$8 near5 (request\$4 or select\$5 or choos\$5 or mechanism or format or pager or message or mail or server or device or computer or unit or adapter or interfac\$5 or driver or card or protocol or application or http or ftp or smtp or hypertext\$3)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 15:48

-	444	((709/206.ccls. and (receipt or receiv\$3 or occur\$5 or messag\$5 or event or mail or email or electronic\$3 or arriv\$4 or new or detect\$3) near5 notif\$9) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented or send\$3 or transmi\$5 or using) near5 (tcp/IP or IP or protocol or standard or smtp or ftp or http or hypertext\$4 or open)) and notif\$8 near5 (request\$4 or select\$5 or choos\$5 or mechanism or format or pager or message or mail or server or device or computer or unit or adapter or interfac\$5 or driver or card or protocol or application or http or ftp or smtp or hypertext\$3)) and notif\$8 near5 (send\$5 or receiv\$5 or transmi\$5 or submi\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 15:50
-	461	((709/206.ccls. and (receipt or receiv\$3 or occur\$5 or messag\$5 or event or mail or email or electronic\$3 or arriv\$4 or new or detect\$3) near5 notif\$9) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented or send\$3 or transmi\$5 or using) near5 (tcp/IP or IP or protocol or standard or smtp or ftp or http or hypertext\$4 or open)) and notif\$8 near5 (request\$4 or select\$5 or choos\$5 or mechanism or format or pager or message or mail or server or device or computer or unit or adapter or interfac\$5 or driver or card or protocol or application or http or ftp or smtp or hypertext\$3)) and notif\$8 near5 (request\$3 or send\$5 or receiv\$5 or transmi\$5 or submi\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 15:50
-	169	((709/206.ccls. and (receipt or receiv\$3 or occur\$5 or messag\$5 or event or mail or email or electronic\$3 or arriv\$4 or new or detect\$3) near5 notif\$9) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented or send\$3 or transmi\$5 or using) near5 (tcp/IP or IP or protocol or standard or smtp or ftp or http or hypertext\$4 or open)) and notif\$8 near5 (request\$4 or select\$5 or choos\$5 or mechanism or format or pager or message or mail or server or device or computer or unit or adapter or interfac\$5 or driver or card or protocol or application or http or ftp or smtp or hypertext\$3)) and notif\$8 near5 (request\$3 or send\$5 or receiv\$5 or transmi\$5 or submi\$5)) and notif\$8 near3 server	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 15:50

	39	(----709/206.cc1s.. and -(receipt-or receiv\$3 or occur\$5 or messag\$5 or event or mail or email or electronic\$3 or arriv\$4 or new or detect\$3) near5 notif\$9) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented or send\$3 or transmi\$5 or using) near5 (tcp/IP or IP or protocol or standard or smtp or ftp or http or hypertext\$4 or open)) and notif\$8 near5 (request\$4 or select\$5 or choos\$5 or mechanism or format or pager or message or mail or server or device or computer or unit or adapter or interfac\$5 or driver or card or protocol or application or http or ftp or smtp or hypertext\$3)) and notif\$8 near5 (request\$3 or send\$5 or receiv\$5 or transmi\$5 or submi\$5)) and notif\$8 near3 server) and @ad<19990620	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 15:54
-	0	rfc near5 http near5 value	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 15:55
-	956	rfc near5 http	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 15:55
-	7	(rfc near5 http) same pair	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:24